


SORA press ivory

SORA press ivory is woodfree uncoated graphic paper in ivory shade.



press ivory

TS – 12. 10. 2021

	STANDARD	60	70	80	90	110	120	135	Tolerance
GRAMMAGE [g/m ²]	ISO 536	60	70	80	90	110	120	135	± 2
SPEC. VOLUME [μm]	ISO 534	1.16	1.14	1.13	1.1	1.08	1.08	1.08	± 0.07
SMOOT. BENDTSEN [ml/min]	ISO 8791-2	100	100	100	100	100	100	100	± 40
RELATIVE HUMIDITY [%]	DIN 53118	47.5	47.5	47.5	47.5	47.5	47.5	47.5	± 7.5
OPACITY [%]	ISO 2471	89	91	93	95	98	99	99	± 2

Given values can be used as guide values only and can be changed without prior notice.
For a valid specification, please refer to the one most recently published on the website www.goricane.si.
Information on the supplies of FSC® and PEFC certified products are available in the Sales department.

